

КАТАЛОГ 2019г.

купить, продажа

электронные компоненты

[где и как купить в Минске?](#)



5915pc-10t-b10-b00	nmb technologies, вентиляторы переменного тока
5915pc-10t-b10-b00	nmb technologies corporation, fan axial 172x38mm 100vac term
5915pc-10t-b10-bm0	nmb technologies, вентиляторы переменного тока
5915pc-10t-b20-b00	nmb technologies, вентиляторы переменного тока
5915pc-10t-b20-b00	nmb technologies corporation, fan axial 172x38mm 100vac term
5915pc-10t-b30-b00	nmb technologies, вентиляторы переменного тока
5915pc-10t-b30-b00	nmb technologies corporation, fan axial 172x38mm 100vac term
5915pc-10t-b30-bm0	nmb technologies corporation, fan axial 172x38mm 100vac term
5915pc-10t-b30-bm0	nmb technologies, вентиляторы переменного тока
5915pc-10t-b30-s00	nmb technologies corporation, fan axial 172x38mm 100vac term
5915pc-10t-b30-s00	nmb technologies, вентиляторы переменного тока
5915pc-10t-b30-sm0	nmb technologies, вентиляторы переменного тока
5915pc-10t-b30-sm0	nmb technologies corporation, fan axial 172x38mm 100vac term
5915pc-12t-b10-a00	nmb technologies corporation, fan axial 172x38mm 115vac term
5915pc-12t-b10-a00	nmb technologies, вентиляторы переменного тока
5915pc-12t-b20-a00	nmb technologies corporation, fan axial 172x38mm 115vac term
5915pc-12t-b20-a00	nmb technologies, вентиляторы переменного тока
5915pc-12t-b20-a00	nmb technologies, axial fan, 150mm, 115vac, 210ma
5915pc-12t-b30-a00	nmb technologies, вентиляторы переменного тока
5915pc-12t-b30-a00	nmb technologies corporation, fan axial 172x38mm 115vac term
5915pc-12t-b30-a00	nmb technologies, осевой вентилятор, серия 5915pc, 115 в, ас (переменный ток), 172 мм, 38 мм, 56 дба, 212 фут/мин
5915pc-12t-b30-am0	nmb technologies, axial fan, 172mm, 115v, 380ma
5915pc-12t-b30-am0	nmb technologies corporation, fan axial 172x38mm 115vac term

5915pc-12t-b30-am0	nmb technologies, вентиляторы переменного тока
5915pc-12t-b30-s00	nmb technologies, вентиляторы переменного тока
5915pc-12t-b30-s00	nmb technologies, axial fan, 172mm, 115v, 450ma
5915pc-12t-b30-s00	nmb technologies corporation, fan axial 172x38mm 115vac term
5915pc-12t-b30-sm0	nmb technologies, axial fan, 172mm, 115v, 450ma
5915pc-12t-b30-sm0	nmb technologies corporation, fan axial 172x38mm 115vac term
5915pc-12t-b30-sm0	nmb technologies, вентиляторы переменного тока
5915pc-12w-b30-am0	nmb technologies, вентиляторы переменного тока
5915pc-20t-b10-b00	nmb technologies, вентиляторы переменного тока
5915pc-20t-b10-b00	nmb technologies corporation, fan axial 172x38mm 200vac term
5915pc-20t-b20-b00	nmb technologies, вентиляторы переменного тока
5915pc-20t-b20-b00	nmb technologies corporation, fan axial 172x38mm 200vac term
5915pc-20t-b30-b00	nmb technologies, вентиляторы переменного тока
5915pc-20t-b30-b00	nmb technologies corporation, fan axial 172x38mm 200vac term
5915pc-20t-b30-b00	nmb technologies, ac fan, axial, 150mm x 172mm x 38mm, 200v
5915pc-20t-b30-bm0	nmb technologies, вентиляторы переменного тока
5915pc-20t-b30-bm0	nmb technologies corporation, fan axial 172x38mm 200vac term
5915pc-20t-b30-s00	nmb technologies corporation, fan axial 172x38mm 200vac term
5915pc-20t-b30-s00	nmb technologies, вентиляторы переменного тока
5915pc-20t-b30-sm0	nmb technologies corporation, fan axial 172x38mm 200vac term
5915pc-20t-b30-sm0	nmb technologies, вентиляторы переменного тока
5915pc-20w-b30-b00	nmb technologies, вентиляторы переменного тока
5915pc-20w-b30-bm0	nmb technologies, вентиляторы переменного тока
5915pc-20w-b30-sm0	nmb technologies, вентиляторы переменного тока
5915pc-22t-b10-b00	nmb technologies corporation, fan axial 172x38mm 220vac term
5915pc-22t-b10-b00	nmb technologies, вентиляторы переменного тока
5915pc-22t-b20-b00	nmb technologies, вентиляторы переменного тока
5915pc-22t-b20-b00	nmb technologies corporation, fan axial 172x38mm 220vac term
5915pc-22t-b30-b00	nmb technologies, вентиляторы переменного тока
5915pc-22t-b30-b00	nmb technologies corporation, fan axial 172x38mm 220vac term
5915pc-22t-b30-b00	nmb technologies, ac fans 93b4264
5915pc-22t-b30-bm0	nmb technologies corporation, fan axial 172x38mm 220vac term
5915pc-22t-b30-bm0	nmb technologies, вентиляторы переменного тока
5915pc-22t-b30-s00	nmb technologies, вентиляторы переменного тока
5915pc-22t-b30-s00	nmb technologies corporation, fan axial 172x38mm 220vac term
5915pc-22t-b30-sm0	nmb technologies corporation, fan axial 172x38mm 220vac term
5915pc-22t-b30-sm0	nmb technologies, вентиляторы переменного тока
5915pc-22w-b30-bm0	nmb technologies, вентиляторы переменного тока
5915pc-23t-b10-a00	nmb technologies corporation, fan axial 172x38mm 230vac term
5915pc-23t-b10-a00	nmb technologies, axial fan, 150mm, 230vac, 110ma
5915pc-23t-b10-a00	nmb technologies, вентиляторы переменного тока
5915pc-23t-b20-a00	nmb
5915pc-23t-b20-a00	nmb technologies corporation, fan axial 172x38mm 230vac term

5915pc-23t-b20-a00	nmb technologies, вентиляторы переменного тока
5915pc-23t-b20-a00..	nmb technologies, осевой вентилятор, серия 5915pc, 230 в, ас (переменный ток), 172 мм, 38 мм, 50 дба, 166 фут/мин
5915pc-23t-b30-a00	nmb technologies, fan, 150x172x38mm, 230vac, 212cfm, 56db
5915pc-23t-b30-a00	nmb technologies corporation, fan axial 172x38mm 230vac term
5915pc-23t-b30-a00	nmb technologies, вентиляторы переменного тока
5915pc-23t-b30-am0	nmb technologies corporation, fan axial 172x38mm 230vac term
5915pc-23t-b30-am0	nmb technologies, вентиляторы переменного тока
5915pc-23t-b30-am0	nmb technologies, axial fan, 172mm, 230v, 190ma
5915pc-23t-b30-s00	nmb technologies, вентиляторы переменного тока
5915pc-23t-b30-s00	nmb technologies, axial fan, 172mm, 230v, 220ma
5915pc-23t-b30-s00	nmb technologies corporation, fan axial 172x38mm 230vac term
5915pc-23t-b30-sm0	nmb technologies corporation, fan axial 172x38mm 230vac term
5915pc-23t-b30-sm0	nmb technologies, вентиляторы переменного тока
5915pc-23t-b30-sm0	nmb technologies, axial fan, 172mm, 230v, 220ma
5915pc-23w-b30-am0	nmb technologies, вентиляторы переменного тока
5915pc-24t-b10-a00	nmb technologies, вентиляторы переменного тока
5915pc-24t-b10-a00	nmb technologies corporation, fan axial 172x38mm 240vac term
5915pc-24t-b20-a00	nmb technologies, вентиляторы переменного тока
5915pc-24t-b20-a00	nmb technologies corporation, fan axial 172x38mm 240vac term
5915pc-24t-b30-a00	nmb technologies, вентиляторы переменного тока
5915pc-24t-b30-a00	nmb technologies corporation, fan axial 172x38mm 240vac term
5915pc-24t-b30-am0	nmb technologies, вентиляторы переменного тока
5915pc-24t-b30-am0	nmb technologies corporation, fan axial 172x38mm 240vac term
5915pc-24t-b30-s00	nmb technologies corporation, fan axial 172x38mm 240vac term
5915pc-24t-b30-s00	nmb technologies, вентиляторы переменного тока
5915pc-24t-b30-sm0	nmb technologies, вентиляторы переменного тока
5915pc-24t-b30-sm0	nmb technologies corporation, fan axial 172x38mm 240vac term
5915pc-12t-b10-a00	nmb technologies, ac fan ball bearing 115v 0.16a/0.19a 16w/18w 50hz/60hz 1400rpm/1650rpm 84.7cfm/102.3cfm 35db/38db flange mount
5915pc-12t-b20-a00	nmb technologies, ac fan ball bearing 115v 0.2a/0.21a 21w/22w 50hz/60hz 2200rpm/2600rpm 141.2cfm/166cfm 46db/50db flange mount
5915pc-12t-b30-a00	nmb technologies, ac fan ball bearing 115v 0.38a/0.36a 35w/32w 50hz/60hz 2700rpm/3200rpm 176.5cfm/212cfm 52db/56db flange mount
5915pc-12t-b30-am0	nmb technologies, ac axial fans with rated voltage 115v
5915pc-20w-b20	
5915pc-23t-b20-a00	nmb technologies corporation, fan ac axial 230v 150x172x38 2600
5915pc-23t-b30-a00	nmb technologies corporation, fan axial 230v 150x172x38 3200rpm
5915pc-23t-b30-a00	nmb technologies, ac fan ball bearing 230v 0.18a/0.19a 35w 50hz/60hz 2700rpm/3200rpm 176.5cfm/212cfm 52db/56db flange mount
5915pc-23t-b30-am0	nmb technologies corporation, fan ac 150x172x38mm 230vac ip54
nmb 5915pc-23t-b30-#1040;00	
5915pc-10t-b10-b00	nmb technologies, ac fans 150x172x38mm, 100vac flange/term/plastic
5915pc-10t-b10-bm0	nmb technologies, ac fans axial, 150x172x38mm 100vac, flange, term
5915pc-10t-b20-b00	nmb technologies, ac fans axial, 150x172x38mm 100vac, flange, term
5915pc-10t-b30-b00	nmb technologies, ac fans 150x172x38mm, 100vac flange/term/plastic
5915pc-10t-b30-bm0	nmb technologies, ac fans axial, 150x172x38mm 100vac, flange, term
5915pc-10t-b30-s00	nmb technologies, ac fans 150x172x38mm, 100vac flange, term, metal

5915pc-10t-b30-sm0	nmb technologies, ac fans 150x172x38mm, 100vac term, metal/potting
5915pc-12t-b10-a00	nmb technologies, ac fans axial, 150x172x38mm 115vac, flange, term
5915pc-12t-b20-a00	nmb technologies, ac fans axial, 150x172x38mm 115vac, flange, term
5915pc-12t-b30-a00	nmb technologies, ac fans 150x172x38mm, 115vac flange/term/plastic
5915pc-12t-b30-am0	nmb technologies, ac fans 150x172x38mm, 115vac term/plastic/potting
5915pc-12t-b30-s00	nmb technologies, ac fans 150x172x38mm, 115vac flange, term, metal
5915pc-12t-b30-sm0	nmb technologies, ac fans 150x172x38mm, 115vac term, metal/potting
5915pc-12w-b30-am0	nmb technologies, ac fans axial, 150x172x38mm 115vac, flange, wire
5915pc-20t-b10-b00	nmb technologies, ac fans axial, 150x172x38mm 200vac, flange, term
5915pc-20t-b20-b00	nmb technologies, ac fans axial, 150x172x38mm 200vac, flange, term
5915pc-20t-b30-b00	nmb technologies, ac fans 150x172x38mm, 200vac flange/term/plastic
5915pc-20t-b30-bm0	nmb technologies, ac fans 150x172x38mm, 200vac term/plastic/potting
5915pc-20t-b30-s00	nmb technologies, ac fans 150x172x38mm, 200vac flange, term, metal
5915pc-20t-b30-sm0	nmb technologies, ac fans 150x172x38mm, 200vac term, metal/potting
5915pc-20w-b30-b00	nmb technologies, ac fans axial, 150x172x38mm 200vac, flange, wire
5915pc-20w-b30-bm0	nmb technologies, ac fans 150x172x38mm, 200vac wire/plastic/potting
5915pc-20w-b30-sm0	nmb technologies, ac fans axial, 150x172x38mm 200vac, flange, wire
5915pc-22t-b10-b00	nmb technologies, ac fans 150x172x38mm, 220vac flange/term/plastic
5915pc-22t-b20-b00	nmb technologies, ac fans 150x172x38mm, 220vac flange/term/plastic
5915pc-22t-b30-b00	nmb technologies, ac fans axial, 150x172x38mm 220vac, flange, term
5915pc-22t-b30-bm0	nmb technologies, ac fans 150x172x38mm, 220vac term/plastic/potting
5915pc-22t-b30-s00	nmb technologies, ac fans 150x172x38mm, 220vac flange, term, metal
5915pc-22t-b30-sm0	nmb technologies, ac fans 150x172x38mm, 220vac term, metal/potting
5915pc-22w-b30-bm0	nmb technologies, ac fans 150x172x38mm, 220vac wire/plastic/potting
5915pc-23t-b10-a00	nmb technologies, ac fans axial, 150x172x38mm 230vac, flange, term
5915pc-23t-b20-a00	nmb technologies, ac fans axial, 150x172x38mm 230vac, flange, term
5915pc-23t-b30-a00	nmb technologies, ac fans 150x172x38mm, 230vac flange/term/plastic
5915pc-23t-b30-am0	nmb technologies, ac fans 150x172x38mm, 230vac term/plastic/potting
5915pc-23t-b30-s00	nmb technologies, ac fans 150x172x38mm, 230vac flange, term, metal
5915pc-23t-b30-sm0	nmb technologies, ac fans 150x172x38mm, 230vac term, metal/potting
5915pc-23w-b30-am0	nmb technologies, ac fans axial, 150x172x38mm 230vac, flange, wire
5915pc-24t-b10-a00	nmb technologies, ac fans axial, 150x172x38mm 240vac, flange, term
5915pc-24t-b20-a00	nmb technologies, ac fans axial, 150x172x38mm 240vac, flange, term
5915pc-24t-b30-a00	nmb technologies, ac fans 150x172x38mm, 240vac flange/term/plastic
5915pc-24t-b30-am0	nmb technologies, ac fans 150x172x38mm, 240vac term/plastic/potting
5915pc-24t-b30-s00	nmb technologies, ac fans 150x172x38mm, 240vac flange, term, metal
5915pc-24t-b30-sm0	nmb technologies, ac fans 150x172x38mm, 240vac term, metal/potting
5915pc-12t-b10-a00	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-12t-b20-a00	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-12t-b30-a00	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-12t-b30-am0	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-12t-b30-s00	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-12t-b30-sm0	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе

5915pc-20t-b30-b00	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-23t-b10-a00	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-23t-b20-a00	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-23t-b30-a00	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-23t-b30-am0	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
5915pc-23t-b30-sm0	актуальная информация на сайте www.elruselement.ru , 50 000 товаров на складе
вентилятор 220v 172x150x38 nmb mat 5915pc-23t-b30 "восьмигранник" 0,19a 35w 6м/мин 2700 об/мин 56дб (качения)	
5915pc-12t-b10-a00	minebea co. ltd.
5915pc-12t-b20-a00	minebea co. ltd., axial fan, 150mm, 115vac, 210ma
5915pc-12t-b30-a00	minebea co. ltd., fan, 150x172x38mm, 115vac
5915pc-12t-b30-am0	minebea co. ltd., axial fan, 172mm, 115v, 380ma
5915pc-12t-b30-s00	minebea co. ltd., axial fan, 172mm, 115v, 450ma
5915pc-12t-b30-sm0	minebea co. ltd., axial fan, 172mm, 115v, 450ma
5915pc-20t-b20-b00	minebea co. ltd.
5915pc-20t-b30-b00	minebea co. ltd., ac fan, axial, 150mm x 172mm x 38mm, 200v
5915pc-22t-b30-b00	minebea co. ltd., ac axial fan, 150mm, 212cfm, 56db
5915pc-23t-b10-a00	minebea co. ltd., axial fan, 150mm, 230vac, 110ma
5915pc-23t-b20-a00	minebea co. ltd.
5915pc-23t-b30-a00	minebea co. ltd., fan, 150x172x38mm, 230vac, 212cfm, 56db
5915pc-23t-b30-am0	minebea co. ltd., axial fan, 172mm, 230v, 190ma
5915pc-23t-b30-s00	minebea co. ltd., axial fan, 172mm, 230v, 220ma
5915pc-23t-b30-sm0	minebea co. ltd., axial fan, 172mm, 230v, 220ma
5915 pc-23t-b30	nmb
5915pc-10t-b10-b00	nmb
5915pc-10t-b20-b00	nmb
5915pc-10t-b30-b00	nmb
5915pc-10t-b30-bm0	nmb
5915pc-10t-b30-s00	nmb
5915pc-10t-b30-sm0	nmb
5915pc-12t-b10-a00	nmb
5915pc-12t-b20-a00	nmb
5915pc-12t-b30-a00	nmb
5915pc-12t-b30-am0	nmb
5915pc-12t-b30-s00	nmb
5915pc-12t-b30-sm0	nmb
5915pc-12w-b30-am0	nmb
5915pc-20t-b10-b00	nmb
5915pc-20t-b20-b00	nmb
5915pc-20t-b30-b00	nmb
5915pc-20t-b30-bm0	nmb
5915pc-20t-b30-s00	nmb
5915pc-20t-b30-sm0	nmb
5915pc-22t-b10-b00	nmb

5915pc-22t-b20-b00	nmb
5915pc-22t-b30-b00	nmb
5915pc-22t-b30-bm0	nmb
5915pc-22t-b30-s00	nmb
5915pc-22t-b30-sm0	nmb
5915pc-23t-b10-a00	nmb
5915pc-23t-b30-a00	nmb
5915pc-23t-b30-am0	nmb
5915pc-23t-b30-s00	nmb
5915pc-23t-b30-sm0	nmb
5915pc-24t-b10-a00	nmb
5915pc-24t-b20-a00	nmb
5915pc-24t-b30-a00	nmb
5915pc-24t-b30-am0	nmb
5915pc-24t-b30-s00	nmb
5915pc-24t-b30-sm0	nmb
mat 5915pc-23t-b30-a00	nmb
5915pc-12t-b10-a00	nmb technologies corporation, fan axial 172x38mm 115vac term. мин.: 2шт.
5915pc-12t-b20-a00	nmb technologies corporation, fan axial 172x38mm 115vac term. мин.: 2шт.
5915pc-12t-b30-a00	nmb technologies corporation, fan axial 172x38mm 115vac term. мин.: 2шт.
5915pc-12t-b30-am0	nmb technologies corporation, fan axial 172x38mm 115vac term. мин.: 1шт.
5915pc-12t-b30-s00	nmb technologies corporation, fan axial 172x38mm 115vac term. мин.: 1шт.
5915pc-12t-b30-sm0	nmb technologies corporation, fan axial 172x38mm 115vac term. мин.: 1шт.
5915pc-20t-b30-b00	nmb technologies corporation, fan axial 172x38mm 200vac term. мин.: 1шт.
5915pc-23t-b10-a00	nmb technologies corporation, fan axial 172x38mm 230vac term. мин.: 2шт.
5915pc-23t-b20-a00	nmb technologies corporation, fan axial 172x38mm 230vac term. мин.: 2шт.
5915pc-23t-b30-a00	nmb technologies corporation, fan axial 172x38mm 230vac term. мин.: 2шт.
5915pc-23t-b30-am0	nmb technologies corporation, fan axial 172x38mm 230vac term. мин.: 1шт.
5915pc-23t-b30-s00	nmb technologies corporation, fan axial 172x38mm 230vac term. мин.: 1шт.
5915pc-23t-b30-sm0	nmb technologies corporation, fan axial 172x38mm 230vac term. мин.: 1шт.
5915pc-12t-b30	5915pc-12t-b30 вентилятор 170*150*38, 115 в, 35/32 вт, ас хстсу
5915pc-12t-b10-a00	
5915pc-12t-b20-a00	
5915pc-12t-b30-a00	
5915pc-23t-b10-a00	
5915pc-23t-b20-a00	
5915pc-23t-b30-a00	
5915pc12tb10a00	
5915pc12tb20a00	
5915pc12tb30a00	
5915pc23tb10a00	
5915pc23tb20a00	
5915pc23tb30a00	

as7c259-15pc	
5915pc12tb10a00	nmb technologies
5915pc12tb20a00	nmb technologies
5915pc12tb30a00	nmb technologies
5915pc12tb30am0	nmb technologies
5915pc12tb30s00	nmb technologies
5915pc12tb30sm0	nmb technologies
5915pc20tb30b00	nmb technologies
5915pc23tb10a00	nmb technologies
5915pc23tb20a00	nmb technologies
5915pc23tb30	nmb technologies
5915pc23tb30a00	nmb technologies
5915pc23tb30am0	nmb technologies
5915pc23tb30s00	nmb technologies
5915pc23tb30sm0	nmb technologies
5915pc	etc2 [list of unclassified manufacturers], plastic blades potting
5915pc-10t-b30-am0	nmb technologies
5915pc-10t-b30-bm0	etc2 [list of unclassified manufacturers], plastic blades potting
5915pc-12t-b10-a00	nmb technologies corporation, fan ac axial 115v 150x172x38 1650 серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 115vac · мощность (ватт): 18w · грм: 1650 грм · шум: 38 db · статическое
5915pc-12t-b20-a00	nmb technologies corporation, fan ac axial 115v 150x172x38 2600 серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 115vac · мощность (ватт): 22вт · грм: 2600 грм · шум: 50 db · статическое
5915pc-12t-b30-a00	nmb technologies corporation, fan axial 115v 150x172x38 3200rpm серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 115vac · мощность (ватт): 32вт · грм: 3200 грм · шум: 56 db · статическое
5915pc-12t-b30-am0	nmb technologies corporation, fan ac 150x172x38mm 115vac ip54 серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 115vac · мощность (ватт): 32вт · грм: 3200 грм · шум: 56 db · статическое
5915pc-12t-b30-s00	nmb technologies corporation, fan ac 150mmx172mmx38mm 115vac серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 115vac · мощность (ватт): 38вт · грм: 3150 грм · шум: 53 db · статическое
5915pc-12t-b30-sm0	nmb technologies corporation, fan 150x172 115v ip54 oil proof серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 115vac · мощность (ватт): 38вт · грм: 3150 грм · шум: 53 db · статическое
5915pc-20t-b30-am0	nmb technologies
5915pc-20t-b30-bm0	etc2 [list of unclassified manufacturers], plastic blades potting
5915pc-22t-b10	nmb technologies
5915pc-22t-b20	nmb technologies
5915pc-22t-b30-am0	nmb technologies
5915pc-22t-b30-bm0	etc2 [list of unclassified manufacturers], plastic blades potting
5915pc-23t-b10	nmb technologies
5915pc-23t-b10-a00	nmb technologies corporation, fan ac axial 230v 150x172x38 1650 серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 230vac · мощность (ватт): 18w · грм: 1650 грм · шум: 38 db · статическое
5915pc-23t-b20	nmb technologies
5915pc-23t-b20-a00	nmb technologies corporation, fan ac axial 230v 150x172x38 2600 серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 230vac · мощность (ватт): 26вт · грм: 2600 грм · шум: 50 db · статическое
5915pc-23t-b20-a00..	nmb technologies, fan, axial, 172x150x38mm, 230vac; fan frame size:172mm; external depth:38mm; supply voltage:230vac; flow rate - imperial:166cu.ft/min; flow rate - metric:4.7m ³ /min; noise rating:50db; bearing type:bal
5915pc-23t-b30-a00	nmb technologies corporation, fan axial 230v 150x172x38 3200rpm серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 230vac · мощность (ватт): 35вт · грм: 3200 грм · шум: 56 db · статическое
5915pc-23t-b30-a00..	nmb technologies, fan, 150x172x38mm, 230vac, 212cfm, 56db; fan frame size:172mm; external depth:38mm; supply voltage:230vac; flow rate - imperial:212cu.ft/min; flow rate - metric:6m ³ /min; noise rating:56db; bearing typ

5915pc-23t-b30-am0	nmb technologies corporation, fan ac 150x172x38mm 230vac ip54 серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 230vac · мощность (ватт): 35вт · rpm: 3200 rpm · шум: 56 db · статическое
5915pc-23t-b30-s00	nmb technologies corporation, fan ac 150mmx172mmx38mm 230vac серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded - 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 230vac · мощность (ватт): 40вт · rpm: 3150 rpm · шум: 53 db · статическое
5915pc-23t-b30-sm0	nmb technologies corporation, fan 150x172 230v ip54 oil proof серия: 5915pc · тип вентилятора: tubeaxial · габариты: rectangular/rounded- 172мм l x 150мм высота x 38мм ширина · максимально допустимое напряжение: 230vac · мощность (ватт): 40вт · rpm: 3150 rpm · шум: 53 db · статическое
5915pc-24t-b10	nmb technologies
5915pc-24t-b20	nmb technologies
5915pc-24t-b30-am0	etc2 [list of unclassified manufacturers], plastic blades potting
5915pc12tb10a00	panasonic
5915pc12tb20a00	glenair
5915pc12tb30a00	glenair
5915pc23tb10a00	glenair
5915pc23tb20a00	glenair
5915pc23tb30a00	glenair
as7c259-15pc	motorola, dip
5915 pc-22t-b30 220v-ac 40/36w	
5915pc	etc2 [list of unclassified manufacturers], plastic blades pottin
5915pc-10t-b30-bm0	etc2 [list of unclassified manufacturers], plastic blades pottin
5915pc-12t-b30-am0	etc2 [list of unclassified manufacturers], plastic blades pottin
5915pc-20t-b30-bm0	etc2 [list of unclassified manufacturers], plastic blades pottin
5915pc-22t-b30-bm0	etc2 [list of unclassified manufacturers], plastic blades pottin
5915pc-23t-b30-am0	etc2 [list of unclassified manufacturers], plastic blades pottin
5915pc-24t-b30-am0	etc2 [list of unclassified manufacturers], plastic blades pottin
5915pc-10t-b10-b00	nmb technologies, fan axial 172x38mm 100vac term
5915pc-10t-b20-b00	nmb technologies, fan axial 172x38mm 100vac term
5915pc-10t-b30-b00	nmb technologies, fan axial 172x38mm 100vac term
5915pc-10t-b30-s00	nmb technologies, fan axial 172x38mm 100vac term
5915pc-10t-b30-sm0	nmb technologies, fan axial 172x38mm 100vac term
5915pc-12t-b10-a00	nmb technologies, axial fan, 150mm, 115vac, 190ma; supply voltage:115vac; fan frame size:172mm; external depth:38mm; product range:-; flow rate - imperial:102.3cu.ft/min; flow rate - metric:2.9m /min; noise rating:38db
5915pc-12t-b20-a00	nmb technologies, axial fan, 150mm, 115vac, 210ma; supply voltage:115vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:166cu.ft/min; flow rate - metric:4.7m /min; noise r
5915pc-12t-b30-a00	nmb technologies, axial fan, 150mm, 115vac, 380ma; supply voltage:115vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:212cu.ft/min; flow rate - metric:6m /min; noise rat
5915pc-12t-b30-am0	etc2 [list of unclassified manufacturers], axial fan, 172mm, 115v, 380ma; supply voltage:115vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:211.8cu.ft/min; flow rate - metric:6m /min; noise rat
5915pc-12t-b30-s00	nmb technologies, axial fan, 172mm, 115v, 450ma; supply voltage:115vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:222.39cu.ft/min; flow rate - metric:6.3m /min; noise
5915pc-12t-b30-sm0	nmb technologies, axial fan, 172mm, 115v, 450ma; supply voltage:115vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:222.39cu.ft/min; flow rate - metric:6.3m /min; noise
5915pc-20t-b10-b00	nmb technologies, fan axial 172x38mm 200vac term
5915pc-20t-b20-b00	nmb technologies, fan axial 172x38mm 200vac term
5915pc-20t-b30-b00	nmb technologies, ac fan, axial, 150mm x 172mm x 38mm, 200v; supply voltage:200vac; fan frame size:172mm; external depth:-; product range:5915pc series; flow rate - imperial:212cu.ft/min; flow rate - metric:6m /min; no
5915pc-20t-b30-s00	nmb technologies, fan axial 172x38mm 200vac term
5915pc-20t-b30-sm0	nmb technologies, fan axial 172x38mm 200vac term
5915pc-22t-b30-b00	nmb technologies, fan axial 172x38mm 220vac term

5915pc-22t-b30-s00	nmb technologies, fan axial 172x38mm 220vac term
5915pc-22t-b30-sm0	nmb technologies, fan axial 172x38mm 220vac term
5915pc-23t-b10-a00	nmb technologies, axial fan, 150mm, 230vac, 110ma; supply voltage:230vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:102.3cu.ft/min; flow rate - metric:2.9m ³ /min; noise
5915pc-23t-b20-a00	nmb technologies, axial fan, 150mm, 230vac, 140ma; supply voltage:230vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:166cu.ft/min; flow rate - metric:4.7m ³ /min; noise r
5915pc-23t-b20-a00..	nmb technologies, fan, axial, 172x150x38mm, 230vac; supply voltage:230vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:166cu.ft/min; flow rate - metric:4.7m ³ /min; noise
5915pc-23t-b30-a00	nmb technologies, axial fan, 172mm, 230vac, 190ma; supply voltage:230vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:212cu.ft/min; flow rate - metric:6m ³ /min; noise rat
5915pc-23t-b30-a00..	nmb technologies, fan, 150x172x38mm, 230vac, 212cfm, 56db; supply voltage:230vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:212cu.ft/min; flow rate - metric:6m ³ /min; n
5915pc-23t-b30-am0	etc2 [list of unclassified manufacturers], axial fan, 172mm, 230v, 190ma; supply voltage:230vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:211.8cu.ft/min; flow rate - metric:6m ³ /min; noise rat
5915pc-23t-b30-s00	nmb technologies, axial fan, 172mm, 230v, 220ma; supply voltage:230vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:222.39cu.ft/min; flow rate - metric:6.3m ³ /min; noise
5915pc-23t-b30-sm0	nmb technologies, axial fan, 172mm, 230v, 220ma; supply voltage:230vac; fan frame size:172mm; external depth:38mm; product range:5915pc series; flow rate - imperial:222.39cu.ft/min; flow rate - metric:6.3m ³ /min; noise
5915pc-24t-b30-a00	nmb technologies, fan axial 172x38mm 240vac term
5915pc-24t-b30-s00	nmb technologies, fan axial 172x38mm 240vac term
5915pc-24t-b30-sm0	nmb technologies, fan axial 172x38mm 240vac term
номер компонента	произв. описание
номер произв.	nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 115vac, 222.3cfm, flange, terminal, metal blades/standard
5915pc-12t-b30-s00	
472-5915pc12tb30s00	
номер произв.	nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 115vac, 222.3cfm, flange, terminal, metal blades/potting
5915pc-12t-b30-sm0	
472-5915pc12tb30sm0	
номер произв.	nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 230vac, 222.3cfm, flange, terminal, metal blades/standard
5915pc-23t-b30-s00	
472-5915pc23tb30s00	
номер произв.	nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 230vac, 211.8cfm, flange, terminal, plastic blades/potting
5915pc-23t-b30-am0	
472-5915pc23tb30am0	
номер произв.	nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 230vac, 222.3cfm, flange, terminal, metal blades/potting
5915pc-23t-b30-sm0	
472-5915pc23tb30sm0	
номер произв.	nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 220vac, ball bearing
5915pc-23t-b30-a00	
472-5915pc23tb30a00	
nrnd	

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 115vac, ball bearing

5915pc-20t-b30-b00

472-5915pc20tb30b00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 115vac, ball bearing

5915pc-12t-b10-a00

472-5915pc12tb10a00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 230vac, ball bearing

5915pc-12t-b20-a00

472-5915pc12tb20a00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, ball bearing

5915pc-23t-b20-a00

472-5915pc23tb20a00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 240vac, ball bearing

5915pc-20t-b20-b00

472-5915pc20tb20b00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 100vac, ball bearing

5915pc-10t-b30-b00

472-5915pc10tb30b00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, ball bearing

5915pc-23t-b10-a00

472-5915pc23tb10a00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 115vac, 211.8cfm, flange, terminal, plastic blades/potting

5915pc-12t-b30-am0

472-5915pc12tb30am0

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, 212cfm, flange, wire

5915pc-20w-b30-b00

472-5915pc20wb30b00

номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 230vac, ball bearing
5915pc-12t-b30-a00		
472-5915pc12tb30a00		
nrnd		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 240vac, ball bearing
5915pc-22t-b30-b00		
472-5915pc22tb30b00		
nrnd		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 220vac, 212cfm, flange, wire, plastic blades/potting
5915pc-22w-b30-bm0		
472-5915pc22wb30bm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, 222.3cfm, flange, terminal, metal blades/potting
5915pc-20t-b30-sm0		
472-5915pc20tb30sm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 230vac, 212cfm, flange, wire
5915pc-23w-b30-am0		
472-5915pc23wb30am0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 115vac, 212cfm, flange, wire
5915pc-12w-b30-am0		
472-5915pc12wb30am0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 100vac, 222.3cfm, flange, terminal, metal blades/standard
5915pc-10t-b30-s00		
472-5915pc10tb30s00		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 220vac, 222.3cfm, 42w, flange, terminal, metal blades/standard
5915pc-22t-b30-s00		
472-5915pc22tb30s00		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, 222.3cfm, 42w, flange, terminal, metal blades/standard
5915pc-20t-b30-s00		
472-5915pc20tb30s00		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 240vac, 222.3cfm, flange, terminal, metal blades/standard
5915pc-24t-b30-s00		
472-5915pc24tb30s00		

номер компонента произв. описание

номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 240vac, 211.8cfm, flange, terminal, plastic blades/potting
5915pc-24t-b30-am0		
472-5915pc24tb30am0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 220vac, 212cfm, flange, terminal, plastic blades/potting
5915pc-22t-b30-bm0		
472-5915pc22tb30bm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, 212cfm, flange, terminal, plastic blades/potting
5915pc-20t-b30-bm0		
472-5915pc20tb30bm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 100vac, 212cfm, flange, terminal
5915pc-10t-b30-bm0		
472-5915pc10tb30bm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, 212cfm, flange, wire, plastic blades/potting
5915pc-20w-b30-bm0		
472-5915pc20wb30bm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 100vac, 102.3cfm, flange, terminal
5915pc-10t-b10-bm0		
472-5915pc10tb10bm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 240vac, 222.3cfm, flange, terminal, metal blades/potting
5915pc-24t-b30-sm0		
472-5915pc24tb30sm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 100vac, 222.3cfm, flange, terminal, metal blades/potting
5915pc-10t-b30-sm0		
472-5915pc10tb30sm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 220vac, 222.3cfm, flange, terminal, metal blades/potting
5915pc-22t-b30-sm0		
472-5915pc22tb30sm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, 222.3cfm, flange, wire
5915pc-20w-b30-sm0		
472-5915pc20wb30sm0		
номер произв.	nmb technologies	вентиляторы переменного тока ac axial fan, 150x172x38mm, 100vac, ball bearing
5915pc-10t-b20-b00		

472-5915pc10tb20b00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 220vac, ball bearing

5915pc-24t-b20-a00

472-5915pc24tb20a00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 115vac, ball bearing

5915pc-22t-b10-b00

472-5915pc22tb10b00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 100vac, ball bearing

5915pc-10t-b10-b00

472-5915pc10tb10b00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 240vac, ball bearing

5915pc-20t-b10-b00

472-5915pc20tb10b00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 200vac, ball bearing

5915pc-22t-b20-b00

472-5915pc22tb20b00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 220vac, ball bearing

5915pc-24t-b10-a00

472-5915pc24tb10a00

nrnd

номер произв. nmb technologies вентиляторы переменного тока ac axial fan, 150x172x38mm, 230vac, ball bearing

5915pc-24t-b30-a00

472-5915pc24tb30a00

nrnd

General Specifications

Motor Structure: Capacitor-Run Induction Motor

Motor Protection: J ~ K Impedance Protection
L Thermal Protection

Insulation Resistance:

100M Ω or over with a DC500V Megger

Dielectric Withstand Voltage: AC 1800V 3s

Allowable Ambient Temperature Range:

-10°C ~ +70°C (Operating)

-40°C ~ +70°C (Storage)

(non-condensing environment)

Expected Life

Failure Rate: 10%

25°C 100,000 Hours

Material

Casing : Aluminum (Black Painting)


Impeller : Plastic (Black) UL94V-0

Bearing : Ball Bearing

Lead Wire : SPT-1 2X0.824mm² AWG18

or Terminal : Faston #110 or equivalent

Characteristic Curves




Outline




Outline

Units: $\frac{\text{inch}}{\text{mm}}$



INLET SIDE / OUTLET SIDE



Specifications

AC Axial Fans

MODEL	LEGACY P/N	Rated Voltage	Frequency	Starting Voltage	Current	Input Power	Speed	Max. Air Flow		Max. Static Pressure		Noise	Mass
		(V)	(Hz)	(V)	(A) ^{*1}	(W)	(min ⁻¹) ^{*2}	CFM ^{*1}	(m ³ /min) ^{*2}	in H ₂ O	(Pa) ^{*2}	(dB) ^{*2}	(g)
** 15038PB-A0J-EA-00	5915PC-10T-B10-B00	100	50	65	0.170	16.0	1400	84.7	2.40	.173	43.1	35.0	800
		100	60	65	0.020	18.0	1650	102.3	2.90	.243	60.7	38.0	800
** 15038PB-A0K-EA-00	5915PC-10T-B20-B00	100	50	65	0.250	22.0	2200	141.2	4.00	.393	98.0	46.0	800
		100	60	65	0.230	23.0	2600	166.0	4.70	.472	117.6	50.0	800
** 15038PB-A0L-EP-00	5915PC-10T-B30-B00	100	50	65	0.470	37.0	2700	176.5	5.00	.629	156.8	52.0	800
		100	60	65	0.440	33.0	3200	212.0	6.00	.865	215.6	56.0	800
15038PB-A1J-EA-00	5915PC-12T-B10-A00	115	50	75	0.160	16.0	1400	84.7	2.40	.173	43.1	35.0	800
		115	60	75	0.190	18.0	1650	102.3	2.90	.243	60.7	38.0	800
15038PB-A1K-EA-00	5915PC-12T-B20-A00	115	50	75	0.200	21.0	2200	141.2	4.00	.393	98.0	46.0	800
		115	60	75	0.210	22.0	2600	166.0	4.70	.472	117.6	50.0	800
15038PB-A1L-EP-00	5915PC-12T-B30-A00	115	50	75	0.380	35.0	2700	176.5	5.00	.629	156.8	52.0	800
		115	60	75	0.360	32.0	3200	212.0	6.00	.865	215.6	56.0	800
** 15038PB-B0J-EA-00	5915PC-20T-B10-B00	200	50	130	0.110	16.0	1400	84.7	2.40	.169	42.1	35.0	800
		200	60	130	0.130	18.0	1650	102.3	2.90	.243	60.7	38.0	800
** 15038PB-B0K-EA-00	5915PC-20T-B20-B00	200	50	130	0.120	22.0	2200	141.2	4.00	.393	98.0	46.0	800
		200	60	130	0.140	23.0	2600	166.0	4.70	.472	117.6	50.0	800
** 15038PB-B0L-EP-00	5915PC-20T-B30-B00	200	50	130	0.236	34.0	2700	176.5	5.00	.629	156.8	52.0	800
		200	60	130	0.210	33.0	3200	212.0	6.00	.865	215.6	56.0	800
** 15038PB-B2J-EA-00	5915PC-22T-B10-B00	220	50	130	0.100	16.0	1400	84.7	2.40	.169	42.1	35.0	800
		220	60	130	0.120	18.0	1650	102.3	2.90	.243	60.7	38.0	800
** 15038PB-B2K-EA-00	5915PC-22T-B20-B00	220	50	145	0.110	23.0	2200	141.2	4.00	.393	98.0	46.0	800
		220	60	145	0.130	26.0	2600	166.0	4.70	.472	117.6	50.0	800
** 15038PB-B2L-EP-00	5915PC-22T-B30-B00	220	50	145	0.210	40.0	2700	176.5	5.00	.629	156.8	52.0	800
		220	60	145	0.180	38.0	3200	212.0	6.00	.865	215.6	56.0	800
15038PB-B3J-EA-00	5915PC-23T-B10-A00	230	50	145	0.090	16.0	1400	84.7	2.40	.169	43.1	35.0	800
		230	60	145	0.110	18.0	1650	102.3	2.90	.243	60.7	38.0	800
15038PB-B3K-EA-00	5915PC-23T-B20-A00	230	50	145	0.120	23.0	2200	141.2	4.00	.393	98.0	46.0	800
		230	60	145	0.140	26.0	2600	166.0	4.70	.472	117.6	50.0	800
15038PB-B3L-EP-00	5915PC-23T-B30-A00	230	50	145	0.180	35.0	2700	176.5	5.00	.629	156.8	52.0	800
		230	60	145	0.190	35.0	3200	212.0	6.00	.865	215.6	56.0	800
** 15038PB-B4J-AA-00	5915PC-24T-B10-A00	240	50	145	0.090	16.0	1400	84.7	2.40	.169	42.1	35.0	800
		240	60	145	0.110	18.0	1650	102.3	2.90	.243	60.7	38.0	800
** 15038PB-B4K-AA-00	5915PC-24T-B20-A00	240	50	145	0.100	22.0	2200	141.2	4.00	.393	98.0	46.0	800
		240	60	145	0.110	26.0	2600	166.0	4.70	.472	117.6	50.0	800
** 15038PB-B4L-EP-00	5915PC-24T-B30-A00	240	50	155	0.180	34.0	2700	176.5	5.00	.629	156.8	52.0	800
		240	60	155	0.170	34.0	3200	212.0	6.00	.865	215.6	56.0	800

Rotation: Counterclockwise

Airflow Outlet: Air Out Over Struts

** Contact NMB for Availability



*1: Maximum Values in Free Air

*2: Average Values in Free Air

*3: Minimum Values in Free Air



Тип вентилятора	осевой (аксиальный)	
Род тока	АС (переменный)	
Напряжение питания	~220 - 240 В	
Номинальный ток	0,28/5,24 А	
Потребляемая мощность	3808 Вт	
Проводимость	m³/h	305/340
	m³/min	5,1/5,68
	CFM	179,5/200
Тип подшипника	сальниковый	
Частота вращения	2650/2960 об/мин	
Уровень шума	-	
Диапазон рабочих температур	-20°C до +60°C	
Степень защиты	IP20	
Срок службы	9000 часов	
Количество лопастей	5	
Материал корпуса	металл	
Материал крыльчатки	пластик	
Выходы	4-пиновые провода	
Габаритные размеры	172×150×38 мм	
Масса	95 г	



г.Минск www.tiristor.by email: minsk17@tut.by viber и тел.+375447584780